




Nanotech shield

Wood polymer construction, reinforced with titanium



A revolutionary new decking range, *Titanium*[®], guarantees high resistance to stains and particularly fats, making it well suited for outdoor cooking areas or the hospitality sector. *Titanium*[®] is scratch-resistant and features extreme tolerance to UV light.

Titanium[®] has the look and feel of wood but comes with a high longevity and is extremely durable.

TITANIUM DECK

Stains and fats resistent Easy to clean

Easy maintair

Splinter free

Anti-slip even in wet conditions

Just like in wood, diference shades in every board Can be produced up to 9 meters



The product does not host the growth of algae and it is anti-slip even in wet conditions.

Products are environmentally friendly. They are FSC[®] (FSC-A000507) certified, made entirely from recycled hardwood fibres and virgin polymer, and are themselves fully recyclable.

The production process is certified by ISSO 9001

four different surfaces

Old Wood

3D Wood Grain

Ribbed

Titanium[®] comes with a 15-year warranty. Products are made in our factory in Portugal, we export to over 30 countries.

Composite decking will not rot or warp and requires very little maintenance. You will not need to oil or seal composite decking, and there are no splinters unlike with wood. EPV

Straight Grain



3D Wood Grain

A 3D look of wood texture



Cor | Color: Sucupira Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 20un Sarrafo | Joist: 3ml



Cor | Color: Cumaru Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 20un Sarrafo | Joist: 3ml



Cor | Color: Teka Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 20un Sarrafo | Joist: 3ml



Edge Board

Cor | Color: in all colours Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300mm

° You need 4 initial clips per board







Ribbed

Can't get any more classic



Cor | Color: Sucupina Largura | Width: 15Dmm Espessura | Thickness: 24mm Comprimento | Length: 2300/320Dmm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 2Dun Sarrafo | Joist: 3ml



Cor | Color: Cumaru Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 2Dun Sarrafo | Joist: 3ml



Cor | Color: Teka Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 2Dun Sarrafo | Joist: 3ml



Cor | Color: Artic Ice Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 20un Sarrafo | Joist: 3ml



Edge Board

Cor | Color: in all colours Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300mm

* You need 4 initial clips per board



Old Wood

The real texture of wood











Cor | Color: Sucupira Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 20un Sarrafo | Joist: 3ml



Cor | Color: Cumaru Largura | Width: 150nm Espessura | Thickness: 24mm Comprimento | Length: 2308/3200mm

> para 1m2 | Kit for 1sqm k: 8,4ml : 20un nafo | Joist: 3ml

Cor | Color: Teka Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 20un Sarrafo | Joist: 3ml

Cor | Color: Artic Ice Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 2Dun Sarrafo | Joist: 3ml



Straight Grain

manul. I in

100

A very modern look











Cor | Color: Sucupira Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 20un Sarrafo | Joist: 3ml

Cor | Color: Cumaru Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2308/3200mm

> pana 1m2 | Kit for 1sqm k: Br4ml 20up rafo | Joist: 3ml

Cor | Color: Teka Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 20un Sarrafo | Joist: 3ml

Cor | Color: Artic Ice Largura | Width: 150mm Espessura | Thickness: 24mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 6,4ml Clip: 20un Sarrafo | Joist: 3ml





The design brief is always to provide a contemporary solution in keeping with the existing décor.

With its UV resistance treatment and stunning contemporary color – providing the perfect finishing touch to the exclusive outside area of any house.

- We can produce custom-made lengths up to
 9m
- Make your installation special with long boards

 No expansion gaps... make your deck an art piece!

Go extra long



HavDeck[®]





HavDeck[®] is a semi-solid profile intended for low traffic. Its fixation system is made through a POM clip, leaving a joint of only 5mm.







Cor | Color: Chocolate Largura | Width: 144mm Espessura | Thickness: 22mm Comprimento | Length: 2300/3200mm

Cor | Color: Antracite Langura | Width: 144mm Espessura | Thickness: 22mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 7,01ml Clip: 25un Sarrafo | Joist: 3,5ml

Cor | Color: Vulcan Largura | Width: 144mm Espessura | Thickness: 22mm

Kit para 1m2 | Kit for 1sqm Deck: 7.01ml Clip: 25un Sarrafo | Joist: 3,5ml

Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 7,01ml Clip: 25un Sarrafo | Joist: 3,5ml

Cor | Color: Mid Brown Largura | Width: 144mm Espessura | Thickness: 22mm Comprimento | Length: 230D/3200mm

Kit para 1m2 | Kit for 1som Deck: 7,01ml Clip: 25un Sarrafo | Joist: 3,5ml

Cor | Color: Bronze Largura | Width: 144mm Espessura | Thickness: 22mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 7.01ml Clip: 25un Sarrafo | Joist: 3,5ml

Cor | Color: Camel Largura | Width: 144mm Espessura | Thickness: 22mm Comprimento | Length: 230D/3200mm

Kit para 1m2 | Kit for 1som Deck: 7,24ml Dip: 25un Sarrafo | Joist: 3,5ml









Lx120 Flat[®] Wood Grain



Lx120 ${\rm Flat}^{\rm e}$ is a semi-solid profile intended for low traffic. Its fixation system is made through a POM clip, leaving a joint of only 5mm.











Espessor a | Inconess. 2000 Comprimento | Length: 2300/3200mm Kit para 1m2 | Kit for 1sqm Deck: Brol

Clip: 32un Sarrafo | Joist: 3,5ml

Cor | Color: Vulcan Largura | Width: 120mm Espessura | Thickness: 20mm

Cor | Color: Chocolate Largura | Width: 120mm Espessura | Thickness: 20mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 8ml Dip: 32un Sarrafo | Joist: 3,5ml

Cor | Color: Mid Brown Largura | Width: 120mm Espessura | Thickness: 20mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 8ml Dip: 32un Sarrafo | Joist: 3,5ml

Cor | Color: Bronze Largura | Width: 120mm Espessura | Thickness: 20mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 8ml Clip: 32un Sarrafo | Joist: 3,5ml

Cor | Color: Camel Largura | Width: 120mm Espessura | Thickness: 20mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 8ml Clip: 32un Sarrafo | Joist: 3,5ml

4

Lx120 Ribbed[®] Sanded



Lx120 Flat[®] is a semi-solid profile intended for low traffic. Its fixation system is made through a POM clip, leaving a joint of only 5mm.











Cor | Color: Vulcan Largura | Width: 120mm Espessura | Thickness: 20mm Comprimento | Length: 2300/3200mm

Deck: Sml Clip: 32un Sarrafo | Joist: 3,5ml



Cor | Color: Chocolate Largura | Width: 120mm Espessura | Thickness: 20mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 8ml Clip: 32un Sarrafo | Joist: 3,5ml

Cor | Color: Mid Brown Largura | Width: 120mm Espessura | Thickness: 20mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1som Deck: 8ml Clip: 32un Sarrafo | Joist: 3,5ml

Cor | Color: Bronze Largura | Width: 120mm Espessura | Thickness: 20mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 8ml Clip: 32un Sarrafo | Joist: 3,5ml

Cor | Color: Camel Largura | Width: 120mm Espessura | Thickness: 20mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1som Deck: 8ml Clip: 32un Sarrafo | Joist: 3,5ml

Kit para 1m2 | Kit for 1sqm

Step Nosing

Fascia



Cor | Color: Antracite Largura | Width: 133/64mm Espessura | Thickness: 22mm Comprimento | Length: 1500mm



Cor | Color: Vulcan Largura | Width: 133/64mm Espessura | Thickness: 22mm Comprimento | Length: 1500mm



Cor | Color: Chocolate Largura | Width: 133/64mm Espessura | Thickness: 22mm Comprimento | Length: 1500mm



Cor | Color: Mid Brown Largura | Width: 133/84mm Espessura | Thickness: 22mm Comprimento | Length: 1500mm



Cor | Color: Bronze Largura | Width: 133/64mm Espessura | Thickness: 22mm Comprimento | Length: 1500mm



Cor | Color: Camel Largura | Width: 133/64mm Espessura | Thickness: 22mm Comprimento | Length: 1500mm





Cor | Color: Antracite Largura | Width: 100mm Espessura | Thickness: 10mm Comprimento | Length: 1500mm



Cor | Color: Vulcan Largura | Width: 100mm Espessura | Thickness: 10mm Comprimento | Length: 1500mm



Con | Color: Chocolate Largura | Width: 100mm Espessura | Thickness: 10mm Comprimento | Length: 1500mm

Cor | Color: Mid Brown Largura | Width: 100mm Espessura | Thickness: 10mm Comprimento | Length: 1500mm

Cor | Color: Branze Largura | Width: 100mm Espessura | Thickness: 10mm Comprimento | Length: 1500mm



Cor | Color: Camel Largura | Width: 100mm Espessura | Thickness: 10mm Comprimento | Length: 1500mm



EzWall

Composite cladding

EzWall[®] sanded



EzWall[®] is the best solution for a touch of distinction on an exterior or interior wall

EzWall[®] is made of wood composite. with high resistance to UVs. reduced maintenance. You can choose 2 different finishing's, and five different colors

Contemporary Wood Grain look and feel but with the advantage of not rotting or warping like solid timber.







EzWall® is a profile for facades and ceilings. Indoor and outdoor application. Its fixation system is made invisibly and may have a joint of 4 to 8mm







Con | Color: Antronite Largura | Width: 157mm Espessura | Thickness: 16mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 7,7ml Clin: Sun Sarrafo Joist 3ml

Cor | Color: Vulcan Largura | Width: 157mm Espessura | Thickness: 16mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 7.7ml Clip: Sun Sarrafo | Joist: 3ml



Cor | Color: Chocolate Largura | Width: 157mm Espessura | Thickness: 16mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 7,7ml Clip: Sun Sarrafo | Joist: 3ml

Cor | Color: Mid Brown Largura | Width: 157mm Espessura | Thickness: 16mm Comprimento | Length: 2300/3200mm

Deck: 7.7ml Clip: Sun Sarrafo | Joist: 3ml

Cor | Color: Bronze Largura | Width: 157mm Espessura | Thickness: 16mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1som Deck: 7 7ml Clip: Sun Sarrafo | Joist: 3ml

Cor | Color: Camel Largura | Width: 157mm Espessura | Thickness: 16mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1som Deck: 7,7ml Clin: 5un Sarrafo | Joist: 3ml

Kit para 1m2 | Kit for 1som

EzWall[®] Wood Grain











EzWall[®] is a profile for facades and ceilings. Indoor and outdoor application. Its fixation system is made invisibly and may have a joint of 4 to 8mm.









Kit para 1m2 | Kit for 1sqm Deck: 7,7ml Clip: Sun Sarrafo | Joist: 3ml

Cor | Color: Vulcan Largura | Width: 157mm Espessura | Thickness: 16mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 7.7ml Dip: Sun Sarrafo | Joist: 3ml



Cor | Color: Chocolate Largura | Width: 157mm Espessura | Thickness: 16mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 7,7ml Clip: Sun Sarrafo | Joist: 3ml

Cor | Color: Mid Brown Largura | Width: 157mm Espessura | Thickness: 16mm Comprimento | Length: 2300/3200mm

Cor | Color: Bronze Largura | Width: 157mm Espessura | Thickness: 16mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 7.7ml Clip: Sun Sarrafo | Joist: 3ml

Cor | Color: Camel Largura | Width: 157mm Espessura | Thickness: 16mm Comprimento | Length: 2300/3200mm

Kit para 1m2 | Kit for 1sqm Deck: 7,7ml Clip: 5un Sarrafo | Joist: 3ml

Kit para 1m2 | Kit for 1som Deck: 7,7ml Clip: Sun Sarrafo | Joist: 3ml



Length tolerances must be considered before installation.

If you respect the recommended slope for the installation, cleaning the floor will be quite easy. However, the floor must be cleaned frequently due to environmental factors which leave their mark.

Watermarks are natural and easy to remove. Rainwater and "night-time moisture" trickle down the material and drag small particles of dirt. When they are dry, they become visible. This phenomenon diminishes over time, but it is not possible to avoid.

To clean, you should initially use a dry brush to remove the visible dirt, follow by cleaning with water and a brush. For general cleaning of dirt and, you can use EzClean[®].

The natural color fading of the composite occurs in the first 10 to 12 weeks of exposure, after which time the discoloration will be minimal.

The products supplied by EPW[®] are made with a high content of natural raw materials, which for this reason can suffer variations of tonality. For the same reason, the tone of the material supplied may not be the same as the sample.

The variation of tonality in a pavement is something natural, desirable and reflects the natural aspect of the wood. Preparing a substructure can make you despair ... it is as important as the installation itself.

 Preparation is the secret. Understanding the material and its behavior, are the basis of good preparation.

• A complete range of accessories allows you to facilitate and improve an entire installation.

It is not enough to have the best product in the world ... you must also have a wide range of accessories to allow the installer to get the best out of the product







ALUMINIUM "L" CORNERS

The corners are easily made using this easyto-apply profile, UV resistant.



ALUMINIUM JOIST 50x50x3200mm

It is the easiest and most robust way to substructure the deck. With a special design to ensure a safer and easier anchoring of the screw, this jois optimizes the application by more than 30%. The joist itself levels the structure and is the best solution for a cross structure (for when it is not possible to drill the floor).

COMPOSITE JOIST 50x30x2300mm

With high resistance to humidity, this solution guarantees high longevity when applied in the most demanding environment.













EzLock

EzLock is the best solution for controlling the deck movement. It acts as an anchor, allowing you to control the direction of expansion.

POM clips have an impact resistance and durability far more superior to a stainless-steel clip.

INITIAL CLIP

The initial clip is what you should use when you want to start an application with higher quality. Made of stainless steel, with the possibility of being used also

